GMG
PRODUCTS



NINGBO YINZHOU MANUFACTURING CO LTD

宁波银州制造有限公司

All types of PTO shafts of Ningbo Yinzhou Manufacturing Co Ltd brand guarantee quality and long-term reliability.

Ningbo Yinzhou Manufacturing Co Ltd is a modern brand focused on the needs of the market. Our goal is to provide customers with products of the highest quality, professional service from the moment of placing the order
to its final implementation.

To meet the expectations of our Customers, we are constantly expanding our offer and introducing new products.

We offer our clients after-sales service and the ability to modify already purchased PTO shafts.

When buying this type of product, it is worth considering whether there is an after-sales service, what will be the waiting time and the cost of spare parts. The wide range of spare parts that we offer to our Customers allows us to efficiently make any repairs and modifications of PTO shafts.

In our warehouse we have a wide selection of articulated PTO shaft components:

- Universal Joints
- Inner profile yokes
- Outer spline yokes
- Wide angle joints
- Ratchet torque limiter, shear bolt, overrunning, friction and automatic clutches
- PTO adapters
- Profile tubes

We have the widest range of products related to PTO shafts and their elements. We guarantee a wide offer, convenient payment terms and favorable discounts and the lowest prices on the market. Goods for customers across the country is delivered within 24 hours from the moment of ordering.

You didn't find your shaft in the catalog? No problem!

We build individual and custom shafts based on the submitted specifications. Contact our adviser!

+86-574-8725 4063


info@gmg-parts.com

www.gmg-parts.com

EN

WIDE ANGLE JOINTS 80° - TUBE TRIANGLE (2327)






Ø Bearing diameter (mm) x cross height (mm) combined cross	Diameter D (mm)	Length H/L (mm)	Ø Slide ring (mm)	Number of splines / tube type D1 (D2) (mm)	Catalog number
23.8 x 91 27 x 74.6	155	95/315	52/60	6 splines 34.9mm (1 3/8") / triangle 36mm	WAJ2327-6-T364
23.8 x 91 27 x 74.6	155	95/315	53/65	6 splines 34.9mm (1 3/8") / triangle 43mm	WAJ2327-6-T433
23.8 x 91 27 x 74.6	155	95/315	52/60	8 splines 36mm (1 1/2 ") / triangle 36mm	WAJ2327-8-T364
23.8 x 91 27 x 74.6	155	95/315	53/65	8 splines 36mm (1 1/2 ") / triangle 43mm	WAJ2327-8-T433
23.8 x 91 27 x 74.6	155	95/315	52/60	21 splines 34.9mm (1 3/8”) / triangle 36mm	WAJ2327-21-T364
23.8 x 91 27 x 74.6	155	95/315	53/65	21 splines 34.9mm (1 3/8”) / triangle 43mm	WAJ2327-21-T433

WIDE ANGLE JOINTS 80° - TUBE TRIANGLE (2732)






Ø Bearing diameter (mm) x cross height (mm) combined cross	Diameter D (mm)	Length H/L (mm)	Ø Slide ring (mm)	Number of splines / tube type D1 (D2) (mm)	Catalog number
27 x 94 32 x 76	165	105/335	60/75	6 splines 34.9mm (1 3/8") / triangle 45mm	WAJ2732-6-T455
27 x 94 32 x 76	171	105/337	68/80	6 splines 34.9mm (1 3/8") / triangle 54mm	WAJ2732-6-T544
27 x 94 32 x 76	165	105/335	60/75	6 splines 44.4mm (1 3/4") / triangle 45mm	WAJ2732-6A-T455
27 x 94 32 x 76	165	115/350	68/80	6 splines 44.4mm (1 3/4") / triangle 54mm	WAJ2732-6A-T544
27 x 94 32 x 76	165	105/355	60/75	8 splines 38mm (1 1/2") / triangle 45mm	WAJ2732-8-T455
27 x 94 32 x 76	165	115/350	68/80	8 splines 38mm (1 1/2") / triangle 54mm	WAJ2732-8-T544
27 x 94 32 x 76	165	105/335	60/75	20 splines 44.4mm (1 3/4") / triangle 45mm	WAJ2732-20-T455
27 x 94 32 x 76	165	105/335	68/80	20 splines 44.4mm (1 3/4") / triangle 54mm	WAJ2732-20-T544
27 x 94 32 x 76	165	105/343	60/75	21 splines 34.9mm (1 3/8") / triangle 45mm	WAJ2732-21-T455
27 x 94 32 x 76	165	115/350	68/80	21 splines 34.9mm (1 3/8") / triangle 54mm	WAJ2732-21-T544

WIDE ANGLE JOINTS 80° - TUBE TRIANGLE (3236)






Ø Bearing diameter (mm) x cross height (mm) combined cross	Diameter D (mm)	Length H/L (mm)	Ø Slide ring (mm)	Number of splines / tube type D1 (D2) (mm)	Catalog number
32 x 106.3 36 x 89	184	118/348	62/75	6 splines 34.9mm (1 3/8") / triangle 45mm	WAJ3236-6-T455
32 x 106.3 36 x 89	184	118/352	68/80	6 splines 34.9mm (1 3/8") / triangle 54mm	WAJ3236-6-T544
32 x 106.3 36 x 89	184	118/348	62/75	6 splines 44.4mm (1 3/8") / triangle 45mm	WAJ3236-6A-T455
32 x 106.3 36 x 89	184	118/352	68/80	6 splines 44.4mm (1 3/8") / triangle 54mm	WAJ3236-6A-T544
32 x 106.3 36 x 89	184	118/348	62/75	8 splines 38mm (1 1/2") / triangle 45mm	WAJ3236-8-T455
32 x 106.3 36 x 89	184	118/352	68/80	8 splines 38mm (1 1/2") / triangle 54mm	WAJ3236-8-T544
32 x 106.3 36 x 89	184	118/348	62/75	20 splines 44.4mm (1 3/4") / triangle 45mm	WAJ3236-20-T455
32 x 106.3 36 x 89	184	118/352	68/80	20 splines 44.4mm (1 3/4") / triangle 54mm	WAJ3236-20-T544
32 x 106.3 36 x 89	184	118/348	62/75	21 splines 34.9mm (1 3/8") / triangle 45mm	WAJ3236-21-T455
32 x 106.3 36 x 89	184	118/352	68/80	21 splines 34.9mm (1 3/8") / triangle 54mm	WAJ3236-21-T544

WIDE ANGLE JOINTS 80° - TUBE LEMON (2327)






Ø Bearing diameter (mm) x cross height (mm) combined cross	Diameter D (mm)	Length H/L (mm)	Ø Slide ring (mm)	Number of splines / tube type D1 (D2) (mm)	Catalog number
23.8 x 91 27 x 74.6	155	95/315	50/60	6 splines 34.9mm (1 3/8 ") / lemon 34.5(40)mm	WAJ2327-6-L344
23.8 x 91 27 x 74.6	155	95/315	50/65	6 splines 34.9mm (1 3/8 ") / lemon 41(48)mm	WAJ2327-6-L413
23.8 x 91 27 x 74.6	155	95/315	50/60	8 splines 38mm (1 1/2") / lemon 34.5(40)mm	WAJ2327-8-L344
23.8 x 91 27 x 74.6	155	95/315	50/65	8 splines 38mm (1 1/2") / lemon 41(48)mm	WAJ2327-8-L413
23.8 x 91 27 x 74.6	155	95/315	50/60	21 splines 34.9mm / lemon 34.5 (40)mm	WAJ2327-21-L344
23.8 x 91 27 x 74.6	155	95/315	50/65	21 splines 34.9mm / lemon 41 (48)mm	WAJ2327-21-L413

WIDE ANGLE JOINTS 80° - TUBE LEMON (2732)






Ø Bearing diameter (mm) x cross height (mm) combined cross	Diameter D (mm)	Length H/L (mm)	Ø Slide ring (mm)	Number of splines / tube type D1 (D2) (mm)	Catalog number
27 x 94 32 x 76	165	105/337	60/75	6 splines 34.9mm (1 3/8 ") / lemon 39.7(49)mm	WAJ2732-6-L395
27 x 94 32 x 76	165	105/337	68/80	6 splines 34.9mm (1 3/8 ") / lemon 48.3(58.5)mm	WAJ2732-6-L484
27 x 94 32 x 76	165	105/337	60/75	6 splines 44.4mm (1 3/4") / lemon 39.7(49)mm	WAJ2732-6A-L395
27 x 94 32 x 76	165	105/337	68/80	6 splines 44.4mm (1 3/4") / lemon 48.3(58.5)mm	WAJ2732-6A-L484
27x94 32x76	165	115/350	62/75	8 splines 38mm (1 1/2") / lemon 39.7(49)mm	WAJ2732-8-L395
27x94 32x76	165	115/350	68/80	8 splines 38mm (1 1/2") / lemon 48.3(58.5)mm	WAJ2732-8-L484
27 x 94 32 x 76	165	105/337	62/75	20 splines 44.4mm (1 3/4") / lemon 39.7(49)mm	WAJ2732-20-L395
27 x 94 32 x 76	165	105/337	68/80	20 splines 44.4mm (1 3/4") / lemon 48.3(58.5)mm	WAJ2732-20-L484
27x94 32x76	165	105/337	62/75	21 splines 34.9mm (1 3/8 ") / lemon 39.7(49)mm	WAJ2732-21-L395
27x94 32x76	165	105/337	68/80	21 splines 34.9mm (1 3/8 ") / lemon 48.3(58.5)mm	WAJ2732-21-L484

WIDE ANGLE JOINTS 80° - TUBE LEMON (3236)






Ø Bearing diameter (mm) x cross height (mm) combined cross	Diameter D (mm)	Length H/L (mm)	Ø Slide ring (mm)	Number of splines / tube type D1 (D2) (mm)	Catalog number
32 x 106.3 36 x 89	182	182/348	62/75	6 splines 34.9mm (1 3/8 ") / lemon 39.7(49)mm	WAJ3236-6-L395
32 x 106.3 36 x 89	182	182/348	68/80	6 splines 34.9mm (1 3/8 ") / lemon 48.3(58.5)mm	WAJ3236-6-L484
32 x 106.3 36 x 89	182	182/348	62/75	6 splines 44.4mm (1 3/4") / lemon 39.7(49)mm	WAJ3236-6A-L395
32 x 106.3 36 x 89	182	182/348	68/80	6 splines 44.4mm (1 3/4") / lemon 48.3(58.5)mm	WAJ3236-6A-L484
32 x 106.3 36 x 89	182	182/348	62/75	8 splines 38mm (1 1/2") / lemon 39.7(49)mm	WAJ3236-8-L395
32 x 106.3 36 x 89	182	182/348	68/80	8 splines38mm (1 1/2") / lemon 48.3(58.5)mm	WAJ3236-8-L484
32 x 106.3 36 x 89	182	182/348	62/75	20 splines 44.4mm (1 3/4") / lemon 39.7(49)mm	WAJ3236-20-L395
32 x 106.3 36 x 89	182	182/348	68/80	20 splines 44.4mm (1 3/4") / lemon 48.3(58.5)mm	WAJ3236-20-L484
32 x 106.3 36 x 89	182	182/348	62/75	21 splines 34.9mm (1 3/8 ") / lemon 39.7(49)mm	WAJ3236-21-L395
32 x 106.3 36 x 89	182	182/348	68/80	21 splines 34.9mm (1 3/8 ") / lemon 48.3(58.5)mm	WAJ3236-21-L484

WIDE ANGLE JOINTS 80° - TUBE STAR (2732)






Ø Bearing diameter (mm) x cross height (mm) combined cross	Diameter D (mm)	Length H/L (mm)	Ø Slide ring (mm)	Number of splines / tube type D1 (D2) (mm)	Catalog number
27 x 94 32 x 76	165	105 / 337	60/75	6 splines 34.9mm (1 3/8 ") / star 51(37)mm	WAJ2732-6-S510
27 x 94 32 x 76	165	105 / 337	68/80	6 splines 34.9mm (1 3/8 ") / star 61(47)mm	WAJ2732-6-S614
27 x 94 32 x 76	165	115/350	60/75	6 splines 44.4mm (1 3/4") / star 51(37)mm	WAJ2732-6A-S510
27 x 94 32 x 76	165	115/350	68/80	6 splines 44.4mm (1 3/4") / star 61(47)mm	WAJ2732-6A-S614
27 x 94 32 x 76	165	115/350	60/75	8 splines 38mm (1 1/2") / star 51(37)mm	WAJ2732-8-S510
27 x 94 32 x 76	165	115/350	68/80	8 splines 38mm (1 1/2") / star 61(47)mm	WAJ2732-8-S614
27 x 94 32 x 76	165	115/350	60/75	20 splines 44.4mm (1 3/4") / star 51(37)mm	WAJ2732-20-S510
27 x 94 32 x 76	165	115/350	68/80	20 splines 44.4mm (1 3/4") / star 61(47)mm	WAJ2732-20-S614
27 x 94 32 x 76	165	115/350	60/75	21 splines 34.9mm (1 3/8 ") / star 51(37)mm	WAJ2732-21-S510
27 x 94 32 x 76	165	115/350	68/80	21 splines 34.9mm (1 3/8 ") / star 61(47)mm	WAJ2732-21-S614

WIDE ANGLE JOINTS 80° - TUBE STAR (3236)






Ø Bearing diameter (mm) x cross height (mm) combined cross	Diameter D (mm)	Length H/L (mm)	Ø Slide ring (mm)	Number of splines / tube type D1 (D2) (mm)	Catalog number
32 x 106.3 36 x 89	184	118/342	68/80	6 splines 34.9mm (1 3/8 ") / star 51(37)mm	WAJ3236-6-S510
32 x 106.3 36 x89	184	118/352	82/97	6 splines 34.9mm (1 3/8 ") / star 61(47)mm	WAJ3236-6-S614
32 x 106.3 36 x 89	184	118/362	62/80	6 splines 44.4mm (1 3/4 ") / star 51(37)mm	WAJ3236-6A-S510
32 x 106.3 36 x 89	184	118/348	82/97	6 splines 44.4mm (1 3/4 ") / star 61(47)mm	WAJ3236-6A-S614
32 x 106.3 36 x 89	184	118/341	68/80	8 splines 38mm (1 1/2 ") / star 51(37)mm	WAJ3236-8-S510
32 x 106.3 36 x 89	184	118/348	82/97	8 splines 38mm (1 1/2 ") / star 61(47)mm	WAJ3236-8-S614
32 x 106.3 36 x 89	184	118/382	68/80	20 splines 44.4mm (1 3/4 ") / star 51(37)mm	WAJ3236-20-S510
32 x 106.3 36 x 89	184	118/348	82/97	20 splines 44.4mm (1 3/4 ") / star 61(47)mm	WAJ3236-20-S614
32 x 106.3 36 x 89	184	118/352	68/80	21 splines 34.9mm (1 3/8 ") / star 51(37)mm	WAJ3236-21-S510
32 x 106.3 36 x 89	184	118/348	82/97	21 splines 34.9mm (1 3/8 ") / star 61(47)mm	WAJ3236-21-S614

WIDE ANGLE JOINTS 80° - TUBE STAR (3642)






Ø Bearing diameter (mm) x cross height (mm) combined cross	Diameter D (mm)	Length H/L (mm)	Ø Slide ring (mm)	Number of splines / tube type D1 (D2) (mm)	Catalog number
36 x 124 42 x 104	190	124/400	68/90	6 splines 34.9mm (1 3/8 ") / star 61(47)mm	WAJ3642-6-S616
36 x 124 42 x 104	190	124/400	82/97	6 splines 34.9mm (1 3/8 ") / star 71(57.5)mm	WAJ3642-6-S715
36 x 124 42 x 104	190	124/400	68/90	6 splines 44.4mm (1 3/4") / star 61(47)mm	WAJ3642-6A-S616
36 x 124 42 x 104	190	124/400	82/97	6 splines 44.4mm (1 3/4") / 71 (57.5)mm	WAJ3642-6A-S715
36 x 124 42 x 104	190	124/400	68/90	20 splines 44.4mm (1 3/4") / star 61(47)mm	WAJ3642-20-S616
36 x 124 42 x 104	190	124/400	82/97	20 splines 44.4mm (1 3/4 ") / star 71(57.5)mm	WAJ3642-20-S715
36 x 124 42 x 104	190	124/400	68/90	21 splines 34.9mm (1 3/8 ") / star 61(47)mm	WAJ3642-21-S616
36 x 124 42 x 104	190	124/400	82/97	21 splines 34.9mm (1 3/8 ") / star 71(57.5)mm	WAJ3642-21-S715

WIDE ANGLE JOINT CENTRAL YOKES 80°





UJ dimensions (mm) (O) x (D)	Ø Diameter S (mm)	Height H (mm)	ØB ball diameter	Catalog number
23.8 x 91	155	95	20	WAJCY2327-80-P
23.8 x 91	155	95	24	WAJCY2327-80
27 x 94	166	105	27	WAJCY2794-80
27 x 94	166	105	29	WAJCY2794-80-P
27 x 100	180	120	-	WAJCY27100-80
30.2 x 106	190	130	-	WAJCY30106-80
32 x 106	184	118	-	WAJCY32106-80
32 x 106	184	118	-	WAJCY32106-80-P
36 x 124	190	124		WAJCY36124-80

Worldwide:



GMG

宁波银州制造有限公司
NINGBO YINZHOU MANUFACTURING CO LTD

518-519 Chengxin Road
Yinzhou Investment & Business
Incubation of Ningbo, China. 315104
Tel: 86-574-8725 4063
Fax: 86-574-87362717
Email: info@gmg-parts.com
www.gmg-parts.com